



ASUS[®]
Wireless Bridge Kit

Start Here





FCC Warning Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) this device may not cause harmful interference and
- 2) this device must accept any interference, including interference that may cause undesired operation.

This device has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the installation instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the outlet into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help


CAUTION: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Prohibition of Co-Location

This device and its antenna(s) must not be co-located or used in conjunction with any other antenna or transmitter.


Safety Information

To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with a minimum of 20 cm between the radiator and your body. Use only the supplied antenna.




What's Included

Wireless adapter
Media Bridge Tx **1**



Wireless adapter
Media Bridge Rx **2**




(2) Ethernet network cables



(1) USB to DC cable




(1) AC to DC power cable




Media Bridge Tx 1

1. Locate the provided 5-foot Ethernet cable. Connect one end to the wireless adapter marked **Media Bridge Tx 1**. Connect the other end to your home network router or modem.




- 2.** Locate the provided power adapter plug. Insert one end into the DC-IN socket of **Media Bridge Tx 1**. Plug the other end into a wall outlet.





Media Bridge Tx **1**


3. The LED indicators for Power and Ethernet on Media Bridge Tx **1** will light up.



1. Locate the provided 10-foot Ethernet cable. Connect one end to the wireless adapter marked **Media Bridge Rx 2**. Connect the other end to your Blu-ray player.




Media Bridge Rx 2



2. Locate the provided USB power cord. Insert one end into the DC-IN socket of **Media Bridge Rx 2**. Affix the other end to one of the USB ports on the Blu-ray Player—on the back.

- 3.** The LED indicators for Power and Ethernet on **Media Bridge Rx 2** will light up.



The LED indicators for Power and Ethernet on **Media Bridge Rx 2** will light up and, after a few seconds, the LED indicator for Wireless will start blinking. The wireless adapters have been set up successfully.

Going forward, when the LED indicators for Wireless and/or Ethernet start to blink, data is being transmitted.